

# Diana Light P64 High Power NARROW Task Lights

Diana Leuchten Task Lights for safe light at the workplace.

Task Lights P64 High Power NARROW, The Task Light of unlimited possibilities!



**Area of applications:**

General workplace lighting, equipment for assembly and packaging, control panel light, meeting room, drilling machine lighting, office workplace, dental laboratories, detailed lighting for assembly work, electronics workplace, hall lighting, manual workplace, industrial workplace, infrastructure, inspection workplace, control workplace, laboratory workplace, warehouse, logistics hall, machine workplace, microscope lighting, assembly workplace, sewing machine light, production hall, test stations, quality assurance, system workplace, watch & jewelry maker, workbenches and test stations, workshop workplace, exhibit lighting.

**Industries:**


Plant construction, architecture, automotive, office, dental & laboratory, electronics, electrical engineering, wood industry, industry, store fitting, exhibition stand construction, assembly, safety engineering, textile industry, watchmakers / goldsmiths, packaging industry.

**Highlights:**

- Homogeneous and directional illumination
- Extremely resilient
- Best possible workplace illumination
- Glare-free illumination
- Simple and compact design
- Dimmable on request
- Low consumption
- Luminous efficacy 140 lm/W

**Specifications:**

- **Operating voltage 100-240 VAC 50/60Hz**
- Operating temperature -20 °C up to +40°C
- Switch
- Protection IP50, Protection Class I, Risk group 0
- Width 64 mm x Height 80 mm
- Material Acrylic glass, powder coated aluminium
- Light color standard 4.000 K White
- Lifetime >60.000 hour
- Optional dimmable (analog or PWM or Poti)
- Schuko plug (3m), on request with C14 plug connection, GST18i3 plug connection or free cable ends



Article No.	Description	Lumen	Colour Kelvin	Beam angle	Power	Length in mm
	LAP0584-SSN1H	2.800	4.000K	100°	20 W	254 mm
	LAP0584-SSN2H	5.600	4.000K	100°	40 W	504 mm
	LAP0584-SSN3H	8.400	4.000K	100°	60 W	754 mm




**Diana Leuchten P64 Accessories:**

**Diana Leuchten Wireless push button for task light P64:**

This optional wireless push button can be used to switch you light or combination of lights on/off.


Article No.	Description
	Wireless push button for task light ZBT00-0584E



**Diana Leuchten Mounting accessory sets:**

A choice in 4-different mounting sets to mount your P64 as you require

Article No.	Description	System	Size mm
	ZMH00-2584H	Cable mounting	L = 2000 mm
	ZMH00-G584F	Mounting plates	100x30x3mm
	ZMH00-W584F	Mounting brackets	100x30x30mm
	ZMH00-X584F	Joint Holders	95x30x3mm



# Diana Light P64 Low Power NARROW Task Lights

Diana Leuchten Task Lights for safe light at the workplace.

Task Lights P64 Low Power NARROW, The Task Light of unlimited possibilities!



**Area of applications:**

General workplace lighting, equipment for assembly and packaging, control panel light, meeting room, drilling machine lighting, office workplace, dental laboratories, detailed lighting for assembly work, electronics workplace, hall lighting, manual workplace, industrial workplace, infrastructure, inspection workplace, control workplace, laboratory workplace, warehouse, logistics hall, machine workplace, microscope lighting, assembly workplace, sewing machine light, production hall, test stations, quality assurance, system workplace, watch & jewelry maker, workbenches and test stations, workshop workplace, exhibit lighting.

**Industries:**

Plant construction, architecture, automotive, office, dental & laboratory, electronics, electrical engineering, wood industry, industry, store fitting, exhibition stand construction, assembly, safety engineering, textile industry, watchmakers / goldsmiths, packaging industry.

**Highlights:**


- Homogeneous and directional illumination
- Extremely resilient
- Best possible workplace illumination
- Glare-free illumination
- Simple and compact design
- Dimmable on request
- Low consumption
- Luminous efficacy 150 lm/W

**Specifications:**

- **Operating voltage 100-240 VAC 50/60Hz**
- Operating temperature -20 °C up to +40°C
- Switch
- Protection IP50, Protection Class I, Risk group 0
- Width 64 mm x Height 80 mm
- Material Acrylic glass, powder coated aluminium
- Light color standard 4.000 K White
- Lifetime >60.000 hour
- Optional dimmable (analog or PWM or Poti)
- Schuko plug (3m), on request with C14 plug connection, GST18i3 plug connection or free cable ends



Article No.	Description	Lumen	Colour Kelvin	Beam angle	Power	Length in mm
	LAP0584-SSN1L	1.500	4.000K	100°	10 W	254 mm
	LAP0584-SSN2L	3.000	4.000K	100°	20 W	504 mm
	LAP0584-SSN3L	4.500	4.000K	100°	30 W	754 mm
	LAP0584-SSN4L	6.000	4.000K	100°	40 W	1004
	LAP0584-SSN5L	7.500	4.000K	100°	50 W	1254
	LAP0584-SSN6L	9.000	4.000K	100°	60 W	1504





**Diana Leuchten P64 Accessories:**

**Diana Leuchten Wireless push button for task light P64:**

This optional wireless push button can be used to switch you light or combination of lights on/off.

Article No.	Description
	Wireless push button for task light ZBT00-0584E



**Diana Leuchten Mounting accessory sets:**

A choice in 4-different mounting sets to mount your P64 as you require

Article No.	Description	System	Size mm
	ZMH00-2584H	Cable mounting	L = 2000 mm
	ZMH00-G584F	Mounting plates	100x30x3mm
	ZMH00-W584F	Mounting brackets	100x30x30mm
	ZMH00-X584F	Joint Holders	95x30x3mm



# Diana Light P64 High Power WIDE Task Lights

Diana Leuchten Task Lights for safe light at the workplace.

Task Lights P64 High Power WIDE, The Task Light of unlimited possibilities!



**Area of applications:**

General workplace lighting, equipment for assembly and packaging, control panel light, meeting room, drilling machine lighting, office workplace, dental laboratories, detailed lighting for assembly work, electronics workplace, hall lighting, manual workplace, industrial workplace, infrastructure, inspection workplace, control workplace, laboratory workplace, warehouse, logistics hall, machine workplace, microscope lighting, assembly workplace, sewing machine light, production hall, test stations, quality assurance, system workplace, watch & jewelry maker, workbenches and test stations, workshop workplace, exhibit lighting.

**Industries:**

Plant construction, architecture, automotive, office, dental & laboratory, electronics, electrical engineering, wood industry, industry, store fitting, exhibition stand construction, assembly, safety engineering, textile industry, watchmakers / goldsmiths, packaging industry.

**Highlights:**

- Homogeneous and directional illumination
- Extremely resilient
- Best possible workplace illumination
- Glare-free illumination
- Simple and compact design
- Dimmable on request
- Low consumption
- Luminous efficacy 140 lm/W

**Specifications:**

- **Operating voltage 100-240 VAC 50/60Hz**
- Operating temperature -20 °C up to +40°C
- Switch
- Protection IP50, Protection Class I, Risk group 0
- Width 64 mm x Height 80 mm
- Material Acrylic glass, powder coated aluminium
- Light color standard 4.000 K White
- Lifetime >60.000 hour
- Optional dimmable (analog or PWM or Poti)
- Schuko plug (3m), on request with C14 plug connection, GST18i3 plug connection or free cable ends



Article No.	Description	Lumen	Colour Kelvin	Beam angle	Power	Length in mm
	LAP0584-SSW1H	2.800	4.000K	100°	20 W	254 mm
	LAP0584-SSW2H	5.600	4.000K	100°	40 W	504 mm
	LAP0584-SSW3H	8.400	4.000K	100°	60 W	754 mm




**Diana Leuchten P64 Accessories:**

**Diana Leuchten Wireless push button for task light P64:**

This optional wireless push button can be used to switch you light or combination of lights on/off.


Article No.	Description
	Wireless push button for task light ZBT00-0584E



**Diana Leuchten Mounting accessory sets:**

A choice in 4-different mounting sets to mount your P64 as you require

Article No.	Description	System	Size mm
	ZMH00-2584H	Cable mounting	L = 2000 mm
	ZMH00-G584F	Mounting plates	100x30x3mm
	ZMH00-W584F	Mounting brackets	100x30x30mm
	ZMH00-X584F	Joint Holders	95x30x3mm



# Diana Light P64 Low Power WIDE Task Lights

Diana Leuchten Task Lights for safe light at the workplace.

Task Lights P64 Low Power WIDE, The Task Light of unlimited possibilities!



**Area of applications:**

General workplace lighting, equipment for assembly and packaging, control panel light, meeting room, drilling machine lighting, office workplace, dental laboratories, detailed lighting for assembly work, electronics workplace, hall lighting, manual workplace, industrial workplace, infrastructure, inspection workplace, control workplace, laboratory workplace, warehouse, logistics hall, machine workplace, microscope lighting, assembly workplace, sewing machine light, production hall, test stations, quality assurance, system workplace, watch & jewelry maker, workbenches and test stations, workshop workplace, exhibit lighting.

**Industries:**

Plant construction, architecture, automotive, office, dental & laboratory, electronics, electrical engineering, wood industry, industry, store fitting, exhibition stand construction, assembly, safety engineering, textile industry, watchmakers / goldsmiths, packaging industry.

**Highlights:**

- Homogeneous and directional illumination
- Extremely resilient
- Best possible workplace illumination
- Glare-free illumination
- Simple and compact design
- Dimmable on request
- Low consumption
- Luminous efficacy 150 lm/W

**Specifications:**

- **Operating voltage 100-240 VAC 50/60Hz**
- Operating temperature -20 °C up to +40°C
- Switch
- Protection IP50, Protection Class I, Risk group 0
- Width 64 mm x Height 80 mm
- Material Acrylic glass, powder coated aluminium
- Light color standard 4.000 K White
- Lifetime >60.000 hour
- Optional dimmable (analog or PWM or Poti)
- Schuko plug (3m), on request with C14 plug connection, GST18i3 plug connection or free cable ends



Article No.	Description	Lumen	Colour Kelvin	Beam angle	Power	Length in mm
	LAP0584-SSW1L	1.500	4.000K	100°	10 W	254 mm
	LAP0584-SSW2L	3.000	4.000K	100°	20 W	504 mm
	LAP0584-SSW3L	4.500	4.000K	100°	30 W	754 mm
	LAP0584-SSW4L	6.000	4.000K	100°	40 W	1004
	LAP0584-SSW5L	7.500	4.000K	100°	50 W	1254
	LAP0584-SSW6L	9.000	4.000K	100°	60 W	1504




**Diana Leuchten P64 Accessories:**

**Diana Leuchten Wireless push button for task light P64:**

This optional wireless push button can be used to switch you light or combination of lights on/off.

Article No.	Description
	Wireless push button for task light ZBT00-0584E



**Diana Leuchten Mounting accessory sets:**

A choice in 4-different mounting sets to mount your P64 as you require

Article No.	Description	System	Size mm
	ZMH00-2584H	Cable mounting	L = 2000 mm
	ZMH00-G584F	Mounting plates	100x30x3mm
	ZMH00-W584F	Mounting brackets	100x30x30mm
	ZMH00-X584F	Joint Holders	95x30x3mm

