

Safety Helmets 3M Peltor

3M Peltor Safety Helmet G3000NUV ABS (Hard Hat)

Hard hat designed for use in harsh environments, with excellent ventilation and a good field of vision. 3M™ Uvicator™ sensor disc tells you when your hard hat has been over exposed to UV-radiation and it's time to replace it. Softly rounded design helps avoid parts snagging on cables or branches. Ventilation holes distributed over a large area offer maximum through-flow of air, increasing wearer comfort. Head harness can be rotated 180° for better visibility when working in confined spaces. Short peak gives improved upwards visibility. It is intended for use in harsh environments with tough demands for effective protection, excellent ventilation and a maximum field of vision. Weight 310 gram. Adjustable head harness 54-62cm with **RATCHET Adjustment**.



Article No.	Description	Packing unit	IMPA
48PT050	3M Peltor G3000 NUV ABS White	1 pcs	-
48PT051	3M Peltor G3000 NUV ABS Blue	1 pcs	-
48PT052	3M Peltor G3000 NUV ABS Yellow	1 pcs	-
48PT053	3M Peltor G3000 NUV ABS Orange	1 pcs	-
48PT054	3M Peltor G3000 NUV ABS Red	1 pcs	-
48PT055	3M Peltor G3000 NUV ABS Green	1 pcs	-
48PT056	3M Peltor G3000 NUV ABS Hi-Viz Yellow	1 pcs	-



3M Peltor Safety Helmet G3001NUV ABS (Hard Hat)

Same specifications as the G3000NUV ABS but NON-VENTILATED. The ideal hard hat for work in the chemical and petrochemical industry. Weight 310 gram. Adjustable head harness 54-62cm with **RATCHET Adjustment**.

Article No.	Description	Packing unit	IMPA
48PT3050	3M Peltor G3001 NUV ABS White Non-Ventilated	1 pcs	-
48PT3052	3M Peltor G3001 NUV ABS Yellow Non-Ventilated	20 pcs	-



3M Peltor Safety Helmet G3000DUV ABS (Hard Hat)

Hard hat designed for use in harsh environments, with excellent ventilation and a good field of vision. 3M™ Uvicator™ sensor disc tells you when your hard hat has been over exposed to UV-radiation and it's time to replace it. Softly rounded design helps avoid parts snagging on cables or branches. Ventilation holes distributed over a large area offer maximum through-flow of air, increasing wearer comfort. Head harness can be rotated 180° for better visibility when working in confined spaces. Short peak gives improved upwards visibility. It is intended for use in harsh environments with tough demands for effective protection, excellent ventilation and a maximum field of vision. Weight 310 gram. Adjustable head harness 54-62cm with **PINLOCK Adjustment**.

Article No.	Description	Packing unit	IMPA
48PT1050	3M Peltor G3000 DUV ABS White	20 pcs	-
48PT1051	3M Peltor G3000 DUV ABS Blue	20 pcs	-
48PT1052	3M Peltor G3000 DUV ABS Yellow	20 pcs	-
48PT1053	3M Peltor G3000 DUV ABS Orange	20 pcs	-
48PT1054	3M Peltor G3000 DUV ABS Red	20 pcs	-
48PT1055	3M Peltor G3000 DUV ABS Green	20 pcs	-
48PT1056	3M Peltor G3000 DUV ABS Hi-Viz Yellow	20 pcs	-



3M Peltor Safety Helmet G3001MUV ABS (Hard Hat) 1000V Dielectric

Same specifications as the G3001NUV ABS, NON-VENTILATED. Provides electrical insulation up to 1000Vac. The ideal hard hat for work in harsh environments with electrical insulation up to 1000Vac. Weight 330 gram. Adjustable head harness 54-62cm with **Ratchet Adjustment**.

Article No.	Description	Packing unit	IMPA
48PT1060	3M Peltor G3001 MUV ABS 1000Vac Dielectric White Non-Ventilated	20 pcs	-



3M Peltor Safety Helmet Integrated Safety Glasses

Provides eye protection from particles and UV. Easily attaches to 3M™ Hard Hats. Durable anti-scratch and anti-fog lens coating helps minimise physical damage and fogging. Easy to adjust for a good fit. Tested and approved to EN 166:2001.

Article No.	Description	Packing unit	IMPA
48PT060	3M Peltor V9C Clear lens	1 pcs	-
48PT061	3M Peltor V9G Grey lens	20 pcs	-
48PT062	3M Peltor V9A Amber lens	20 pcs	-



3M Peltor Safety Helmets spare parts

Spare parts for the 3000 series hard hats.

Article No.	Description	Packing unit	IMPA
48PT069	Head harness with ratchet 54-62cm G2N	1 pcs	-
48PT070	Head harness pinlock 54-62cm G2D	1 pcs	-
48PT072	Replacement pvc fabric sweatband HYG3	1 pcs	-
48PT073	Replacement leather sweatband HYG4	1 pcs	-
48PT074	Chin strap 2-point connection GH1	1 pcs	-
48PT076	Chin strap 3-point connection GH4	10 pcs	-



Safety Helmets MSA and UVEX

MSA Safety Helmets V-GARD HDPE

V-Gard, Made of hard UV-resistant High Density polyethylene, light weight high comfort and extreme strength. Shell without ventilation. With push-key inner harness with pinlock or ratchet adjustment. Extreme strong, comfortable and lightweight. With 30mm slots for ear protection connection. Suspension adjustable from 52 up to 64cm. PVC fabric sweatband. According to EN397, EN50365, EN13463-1. Tested and approved for Explosion hazardous environments, for ATEX Zones 1, 2, 20, 21, 22. GOST certified (-50°C). **Staz-On** type with Push-Key pinlock adjustment 335 gram. **Fas-Track** type with ratchet adjustment 360 gram.

Article No.	Description	Packing unit	IMPA
480860W	Staz-On White	1 pcs	31 01 01
480860GE	Staz-On Yellow	1 pcs	31 01 03
480860R	Staz-On Red	1 pcs	31 01 05
480860GR	Staz-On Green	1 pcs	31 01 06
480860B	Staz-On Blue	1 pcs	31 01 02
480860O	Staz-On Orange	1 pcs	31 01 04

Article No.	Description	Packing unit	IMPA
480861W	Fas-Track White	1 pcs	31 01 41
480861GE	Fas-Track Yellow	1 pcs	31 01 43
480861R	Fas-Track Red	1 pcs	31 01 44
480861GR	Fas-Track Green	1 pcs	31 01 45
480861B	Fas-Track Blue	1 pcs	31 01 42
480861O	Fas-Track Orange	1 pcs	-



MSA Safety Helmets V-GARD 500 ABS

V-Gard, Made of high quality ABS, light weight high comfort and extreme strength. Shell available with and without ventilation. Rain gutter. With ratchet adjustment. Extreme strong, comfortable and lightweight. With 30mm slots for ear protection connection. Suspension adjustable from 52 up to 64cm. PVC fabric sweatband. According to EN397, EN50365, EN13463-1. Tested and approved for Explosion hazardous environments, for ATEX Zones 1, 2, 20, 21, 22. **Fas-Track III** type with ratchet adjustment 360 gram.

Article No.	Description	Packing unit	IMPA
480862W	Vented White	1 pcs	-
480862GE	Vented Yellow	1 pcs	-
480862B	Vented Blue	1 pcs	-

Article No.	Description	Packing unit	IMPA
480863W	Non-Vented White	1 pcs	-
480863GE	Non-Vented Yellow	1 pcs	-
480863R	Non-Vented Blue	1 pcs	-



MSA Safety Helmets V-GARD Spare parts Spare parts for the MSA Safety helmets V-Gard series.

Article No.	Description	Packing unit	IMPA
480880	Head suspension with ratchet 54-62cm	1 pcs	31 01 24
480887	Replacement Cotton fabric sweatband pack 10 pcs To install over the PVC sweatband	1 pcs	-
480884	Chin strap 2-point connection elastic	1 pcs	33 11 64



MSA Safety Helmets V-GARD 500 ABS combi-set Electricians

V-Gard, Made of high quality ABS, light weight high comfort and extreme strength. Shell available with and without ventilation. Rain gutter. With push-key adjustment. Extreme strong, comfortable and lightweight. With 30mm slots for ear protection connection. Harness adjustable from 52 up to 64cm. PVC fabric sweatband. According to EN397 440Vac, EN50365, EN13463-1. Electrician visor basic - V-gard sheet visor, 203x432x1.5mm (EN166 2C-1,2 1B 389) **Staz-On** type with push-key adjustment. Ideal for applications with limited arc flash risks.

Article No.	Description	Packing unit	IMPA
480900	Electrician combi-set V-GARD 500 white	1 pcs	-



MSA Alpine Safety Helmets H1 TRIVENT ALPINE

V-Gard, Virgin high-density polyethylene (HDPE) with UV-inhibitor. Polystyrene interior foam, suspension nylon and polypropylene, chinstrap of polyester and acetate, polyester sweatband. Vented model. EN12492 compliant 4-point chin strap. Fas-Trac® III Pivot ratchet suspension for superior comfort, adjustability and range of motion. Non-contact foam liner maximizes air flow & breathability for optimal cooling and hygiene. Patent pending "push-button" accessory attachment rail and universal clips for head lamps enables quick installation and removal, with no need for an additional carrier. Standard reflective stickers. Standard compliance EN12492:2012-04, ANSI/ISEA Z89.1-2014 Type 1 Class C. 3rd party certifications SEI and BG BAU. Available in 9 colours. Suspension adjustable from 52 up to 64cm. **Fas-Track III** type with ratchet adjustment 515 gram.

Article No.	Description	Packing unit	IMPA
480850	EV-GARD H1 TRIVENT Alpine helmet white	1 pcs	31 03 36



UVEX Alpine Safety Helmets PHEOS

Safety helmet especially designed for working on heights EN 397 - EN 12492. Material ABS. Constant ventilation, helmet completely closed at the front and permanent open for ventilation on the back. Six-point textile band attachment ensures optimal fit and great comfort. Side Euroslot adapters (30mm) for attaching earmuffs or Uvex visor system. Slot on the front for helmet lights. Hooks (4) for attachment of head torches, goggles and face protection. Chin strap included for extra security while climbing. Sizes from 52 up to 61cm. Also available in colours yellow, orange, blue, black, green and red. Weight 460 gram. Standards EN397, EN12492 and additional requirement for very low temperatures (-30 °C). delivered as standard with a black PU sweatband.

Article No.	Description	Packing unit	IMPA
480030	Pheos Alpine 9773-050 white	1 pcs	31 03 36
480031	Pheos Alpine 9773-250 orange	6 pcs	31 03 39
480032	Pheos Alpine 9773-950 black	6 pcs	-
480033	Pheos Alpine 9773-550 blue	6 pcs	31 03 37
480034	Pheos Alpine 9773-150 yellow	6 pcs	31 03 38
480030B	Uvex sweatband for safety helmets 10 pcs pack	1 pcs	-



Safety Helmets Cerva

CERVA Alpineworker Safety Helmet

The alpineworker in one of the lightest helmets available on the market and it is suitable for working at heights. Its weight is only 260g. Material: Polycarbonate. The vented version ensures the user's maximum comfort and is equipped with special adapters for mounting a headlamp. Its short peak is suitable for working at heights. Its integrated comfortable safety glasses meet the standards EN166, EN397 and EN170 (2C-1.2 for clear lens). Easy size adjustments by means of a wheel ratchet. Size: 53-66cm. A 6-point harness. A 4-point chin strap, heat resistance: between -30°C and +50°C.



Article No.	Description	Packing unit	IMPA
480040	Alpineworker polycarbonate white	20 pcs	-
480041	Alpineworker polycarbonate yellow	20 pcs	-
480042	Alpineworker polycarbonate blue	20 pcs	-
480043	Alpineworker polycarbonate Hi-Vis yellow	20 pcs	-
480044	Alpineworker polycarbonate Hi-Vis orange	20 pcs	-
480045	Alpineworker polycarbonate Hi-Vis red	20 pcs	-
480048	Alpineworker sweatband 10 pcs pack	1 pack	-
480049	Alpineworker chinstrap 4-point	1 pcs	-



CERVA Alpineworker PRO Safety Helmet ABS

The alpineworker PRO in one of the lightest helmets ABS available on the market and it is suitable for working at heights. Its weight is only 475g. Material: Polycarbonate. The unvented version ensures the user's maximum safety and comfort and is equipped with special adapters for mounting a headlamp. Its short peak is suitable for working at heights. Meet the standards EN397 and EN50365 (Class 0) for low voltage installations. Easy size adjustments by means of a wheel ratchet. Size: 53-66cm. A 6-point harness. A 4-point chin strap, heat resistance: between -30°C and +50°C.

Article No.	Description	Packing unit	IMPA
480053	Alpineworker PRO ABS unventilated white	20 pcs	-
480054	Alpineworker PRO ABS unventilated yellow	20 pcs	-
480055	Alpineworker PRO ABS unventilated blue	20 pcs	-
480056	Alpineworker PRO ABS unventilated black	20 pcs	-
480057	Alpineworker PRO ABS unventilated orange	20 pcs	-
480058	Alpineworker PRO ABS unventilated red	20 pcs	-
480048B	Alpineworker PRO sweatband 10 pcs pack	1 pack	-
480049B	Alpineworker PRO Unvented chinstrap 4-point	1 pcs	--



CERVA Bump Cap Hi-Vis

Hi-Vis bump cap, innovative ABS shell with foam spacer. Inside reinforced with PVC. Reflective elements on the outside of the cap. Size: 54-59cm. Size adjustable with velcro band. Weight: 160 gram. Standard EN812. For temperatures from -10°C up to +50°C.

Article No.	Description	Packing unit	IMPA
480060	Bump Cap Cerva Hi-Vis orange	20 pcs	-
480061	Bump Cap Cerva Hi-Vis yellow	20 pcs	-



Uvex Bump Cap U-Cap Sport

Sporty bump cap with innovative hard shell element. With long brim for increased sun protection. Freely customisable with print, embroidery and special colours. Available in size ranges 52 to 54 cm, 55 to 59 cm and 60 to 63 cm. Colour Black. Reliable impact protection in accordance with EN 812. Innovative hard shell element in "armadillo" design with honeycomb structure and shock-absorbing elements

Article No.	Description	Packing unit	IMPA
480050	Bump Cap Uvex U-Cap Sport Black size 55-59	20 pcs	-
480051	Bump Cap Uvex U-Cap Sport Black size 60-63	20 pcs	-



Visitors Safety Helmet

Helmet of polypropylene with attachment 30mm slots for ear muffs and removable chin strap. Adjustable suspension with pinlock adjustment. Budget type of hard hat. 4-point Head harness with sweatband. Available in one colour = yellow. Minimum order quantity is box 25 pieces.

Article No.	Description	Packing unit	IMPA
480071	Visitors safety helmet yellow	25 pcs	33 11 60



Many other Safety Helmet types available on request. Contact our product specialists for more possibilities.