Scangrip Inspection Worklights

SCANGRIP MINI SLIM Rechargeable LED Inspection Worklight

The MINI SLIM is an ultra-thin 3-in-1 inspection light. It is a handlamp and flashlight in one. The compact design is only Ø9mm, which allows for inspection in even the most inaccessible and narrow work areas.

Light output main light 100-200 lumens, 150-400 lux @0.5 mtr. COB LED.

Light output secundairy light 100 lumens, 5200 lux @0.5 mtr. HIGH POWER LED. Light beam main light 120° and Light beam secundairy light 25°. Main light 2-steps light output. Light color 6000K. Ra >80.

Strong build-in magnet and hook for flexible positioning. Foldable body.

Strong bulld-in magnet and nook for nexible positioning. Foliable body. Waterproof class IP30. Impact resistance 1 mtr. Maximum burntime on battery charge 2.5-5 hours. Charging time 3 hours. Dimension 13,2x4,1x3,0cm, weight 0,10kg. For operating temperature -10° to +40°. Rechargeable battery Li-Ion 3.7V 1200 mAh, and USB to mini charge cable. NO CHARGER included. Charging voltage 5VDC 1A (2W).

Article No.	Description
90SCAN035610	Scangrip MINI SLIM rechargeable inspection worklight

SCANGRIP SLIM Rechargeable LED Inspection Worklight for LIFE

The SLIM for LIFE is an ultra-thin 3-in-1 inspection light. It is a handlamp and flashlight in one. The compact design is only Ø9mm, which allows for inspection in even
the most inaccessible and narrow work areas. User friendly battery indicator.
NEW OPTILight settings for optimized light and runtime with a simple touch.
Light output main light 50-500 lumens, OPTILight settings 500 lux @0.5 mtr. with
High Efficiency multi-LED design with 20 LED's. Light output secundairy light 100 lumens, 4800 lux @0.5 mtr. HIGH POWER LED. Light beam main light 110° and Light beam secundairy light 25°.

Main light 3-steps light output. Light color 5700K. Ra >80.

Strong build-in magnet and hook for flexible positioning. Foldable body.

Waterproof class IP30, IK07. Impact resistance 2 mtr. Charging time 4 hours. Maximum burntime on battery charge 2.5-7 hours. In OPTLight 4 hours.

Dimension 16,6x4,6x2,9cm, weight 0,21kg. For operating temperature -10° to +40°.

Rechargeable battery Li-Ion 3.7V 2600 mAh, and USB to mini charge cable.

NO CHARGER included. Charging voltage 5VDC 1A (3,5W).

Article No.	Description
90SCAN036211	Scangrip OPTILight SLIM rechargeable inspection worklight

SCANGRIP MINI SLIM Rechargeable LED Inspection Worklight for LIFE

The MINI SLIM for LIFE is an ultra-thin 3-in-1 inspection light. It is a handlamp and flashlight in one. The compact design is only \emptyset 9mm, which allows for inspection in even the most inaccessible and narrow work areas. User friendly battery indicator. NEW OPTILight settings for optimized light and runtime with a simple touch. Light output main light 20-200 lumens, OPTILight settings 500 lux @0.5 mtr. with High Efficiency multi-LED design with 16 LED's.

Light output secundairy light 100 lumens, 4800 lux @0.5 mtr. HIGH POWER LED. Light beam main light 110° and Light beam secundairy light 25°. Main light 3-steps light output. Light color 5700K. Ra >80.

Strong build-in magnet and hook for flexible positioning. Foldable body.

Waterproof class IP30, IK07. Impact resistance 2 mtr. Charging time 2,5 hours. Maximum burntime on battery charge 2-19 hours. In OPTILight 5,5 hours. Dimension 13x4,3x2,9cm, weight 0,1kg. For operating temperature -10° to +40°. Rechargeable battery Li-Ion 3.7V 800 mAh, and USB to mini charge cable. NO CHARGER included. Charging voltage 5VDC 1A (1,4W).

Article No.	Description
90SCAN036210	Scangrip OPTILight MINI SLIM rechargeable inspection worklight

SCANGRIP MAG PEN 3 Rechargeable LED Inspection Worklight

The MAG PEN 3 is pencil work light. It is a handlamp and flashlight in one. The light is upgraded with a stepless dimmer function in the range of 10% to 100%. The light is upgraded with a stepless dimmer function in the range of 10% to 100%. A side switch ensures easy single-handed switch on/off operation.

Comes with built-in magnet both in clip and bottom of the pen light. Clip is turnable. Light output main light 150 lumens, 200 lux @0.5 mtr. COB LED. Light output secundairy light 80 lumens, 2000 lux @0.5 mtr. CREE XP-G2 LED. Light beam main light 120° and Light beam secundairy light 25°. Stepless light output. Light color 6000K. Ra >80.

The turnable clip can also be used as a handy belt-clip.

Waterproof class IP20. Impact resistance 1 mtr.

Maximum burntime on battery charge 2-20 hours. Charging time 3,5 hours.

Dimension 17,4x3,1x2,1cm, weight 0,08kg. For operating temperature -10° to +40°.

Rechargeable battery Li-Ion 3.7V 750 mAh, and USB to mini charge cable.

NO CHARGER included. Charging voltage 5VDC 1A (2W).

Article No.	Description
90SCAN035116	Scangrip MAG PEN 3 rechargeable inspection worklight

Scangrip accessories for inspection worklights

Due to EU regulations the lights comes without a charger.

Article No.	Description
90SCAN035305	Scangrip USB charger 100-240V AC to 5VDC 1A
90SCAN035307	Scangrip USB to MINI DC 1-M cable black



Scangrip Inspection Worklights

SCANGRIP MAG Rechargeable LED Inspection Worklight The MAG is a rechargeable handlamp and flashlight in one.

The lamp head allows tilting up to 180 degrees. This makes the lamp perfect as workshop inspection lamp.

workshop inspection lamp.

Comes with three strong built-in magnetic holders and two retractable suspension hooks, enables the lamp complete flexibility.

Light output main light 150-300 lumens, 250-500 lux @0.5 mtr. 10x SMD LED.

Light output secundairy light 80 lumens, 850 lux @0.5 mtr. High power LED.

Light beam main light 120° and Light beam secundairy light 35°.

Stepless light output. Light color 6000K. Ra >80.

Waterproof class IP20. Impact resistance 1 mtr.

Maximum burntime on battery charge 2,5-5 hours. Charging time 4 hours.

Dimension 26x6,1x4,3cm, weight 0,25kg. For operating temperature -10° to +40°.

Rechargeable battery Li-Ion 3.7V 2200 mAh, and USB to mini charge cable.

NO CHARGER included. Charging voltage 5VDC 1A (3,5W).

Article No.	Description
90SCAN035400	Scangrip MAG rechargeable inspection worklight

SCANGRIP MAG PRO Rechargeable LED Inspection Worklight

The MAG PRO is a rechargeable handlamp and flashlight in one with a stepless dimmer function in the range from 10% to 100%. The lamp head allows tilting up to 180 degrees. This makes the lamp perfect as

workshop inspection lamp.

Comes with three strong built-in magnetic holders and two retractable suspension

Comes with three strong built-in magnetic holders and two retractable suspension hooks, enables the lamp complete flexibility.

Light output main light 60-600 lumens, 90-900 lux @0.5 mtr. COB LED.

Light output secundairy light 150 lumens, 2000 lux @0.5 mtr. High power LED.

Light beam main light 120° and Light beam secundairy light 35°.

Stepless light output. Light color 6000K. Ra > 80.

Waterproof class IP54. Impact resistance 1 mtr.

Maximum burntime on battery charge 1,5-15 hours. Charging time 4 hours.

Dimension 26,1x6,2x4,3cm, weight 0,34kg. For operating temperature -10° to +40°.

Rechargeable battery Li-Ion 3.7V 2600 mAh, and USB to mini charge cable. NO CHARGER included. Charging voltage 5VDC 1A (6,5W).

Article No.	Description
90SCAN035690	Scangrip MAG PRO rechargeable inspection worklight

SCANGRIP MINI MAG PRO Rechargeable LED Inspection Worklight

The MINI MAG PRO is a rechargeable handlamp and flashlight in one with a stepless dimmer function in the range from 10% to 100%. Beam distance flashlight 35 mtr. The lamp head allows tilting up to 180 degrees. This makes the lamp perfect as workshop inspection lamp. With battery indicator.

Comes with a strong built-in magnetic holders and a retractable suspension hook, enables the lamp complete flexibility.

Light output main light 20-200 lumens, 35-350 lux @0.5 mtr. COB LED. Light output secundairy light 80 lumens, 700 lux @0.5 mtr. SMD LED. Light beam main light 120° and Light beam secundairy light 25°. Stepless light output. Light color 6000K. Ra >80.

Waterproof class IP54. Impact resistance 1 mtr.

Maximum burntime on battery charge 2-20 hours. Charging time 3 hours. Dimension 20x4x2,8cm, weight 0,16kg. For operating temperature -10° to Rechargeable battery Li-Ion 3.7V 1200 mAh, and USB to mini charge cable. NO CHARGER included. Charging voltage 5VDC 1A (2,5W).

Article No.	Description
90SCAN035692	Scangrip MINI MAG PRO rechargeable inspection worklight

SCANGRIP UNIFORM Rechargeable LED Inspection Worklight

The UNIFORM is a rechargeable handlamp and flashlight in one.

The lamp head allows tilting up to 180 degrees. This makes the lamp perfect as workshop inspection lamp. With battery indicator. Main light 2-levels.

Comes with a strong built-in magnetic holder and a retractable suspension hook,

enables the lamp complete flexibility. Light output main light 250-500 lumens, 470-900 lux @0.5 mtr. COB LED. Light output secundairy light 175 lumens, 6000 lux @0.5 mtr. High power LED. Light beam main light 110° and Light beam secundairy light 30° .

Light toeam main light 110 and Light beam secundary light 30 . Light color 6000K. Ra > 80. Waterproof class IP65, IK07. Impact resistance 1 mtr. Maximum burntime on battery charge 2-4,5 hours. Charging time 5 hours. Dimension 19x6x3,2cm, weight 0,26kg. For operating temperature -10° to +40°. Rechargeable battery Li-Ion 3.6V 3000 mAh, and charger base and cable. Charging voltage 5VDC 1A (6W).

Article No.	Description
90SCAN035407	Scangrip UNIFORM rechargeable inspection worklight









Scangrip Inspection Worklights

SCANGRIP MINIFORM Rechargeable LED Inspection Worklight

The UNIFORM is a rechargeable handlamp and flashlight in one

The lamp head allows tilting up to 180 degrees. This makes the lamp perfect as workshop inspection lamp.

Comes with a strong built-in magnetic holder and a retractable suspension hook, enables the lamp complete flexibility. Main light 2-levels.

Light output main light 100-200 lumens, 100-200 lux @0.5 mtr. COB LED. Light output secundairy light 120 lumens, 920 lux @0.5 mtr. High power LED. Light beam main light 110° and Light beam secundairy light 30°. Light color 6000K. Ra >80.

Waterproof class IP65, IK07. Impact resistance 1 mtr.

Maximum burntime on battery charge 3-6 hours. Charging time 3 hours. Dimension 12,2x6x2,8cm, weight 0,13kg. For operating temperature -10° to +40°. Rechargeable battery Li-Ion 3.7V 1600 mAh, and USB to mini charge cable. NO CHARGER included. Charging voltage 5VDC 1A (2,5W).

Article No.	Description
90SCAN035404	Scangrip MINIFORM rechargeable inspection worklight

SCANGRIP UNIPEN Rechargeable LED Inspection Worklight

The UNIPEN is a rechargeable handlamp and flashlight in one.

The lamp head allows tilting up to 180 degrees. This makes the lamp perfect as workshop inspection lamp. Main light 2-levels. Belt clip.

Comes with a strong built-in magnetic holder, enables the lamp complete flexibility. Light output main light 75-150 lumens, 125-250 lux @0.5 mtr. COB LED. Light output secundairy light 75 lumens, 900 lux @0.5 mtr. High power LED. Light color 6000K. Ra >80.
Waterproof class IP65, IK07. Impact resistance 1 mtr.

Maximum burntime on battery charge 2-4 hours. Charging time 2,5 hours. Dimension 15,5x2,7x2,1cm, weight 0,08kg. For operating temperature -10 $^\circ$ to +40 $^\circ$. Rechargeable battery Li-Ion 3.7V 750 mAh, and USB to mini charge cable. NO CHARGER included. Charging voltage 5VDC 1A (1,5W).

Article No.	Description
90SCAN035420	Scangrip MINIPEN rechargeable inspection worklight

SCANGRIP UV-FORM Rechargeable LED Inspection Worklight
The UV-FORM is a rechargeable handlamp with powerful UV-light on the top.
The lamp head allows tilting up to 180 degrees. This makes the lamp perfect as workshop inspection lamp for Airconditioning and cooling installations.

workshop inspection lamp for Airconditioning and cooling installations. Main light 2-levels. Sturdy turnable hook. Comes with a strong built-in magnetic holder, enables the lamp complete flexibility. Light output main light 215-250 lumens, 200-400 lux @0.5 mtr. COB LED. Light output secundairy light **High power UV LED** (400nm). Light color main light 6000K. Ra >80. Waterproof class IP65, IK07. Impact resistance 0 mtr. Maximum burntime on battery charge 2,5-5 hours. Charging time 3 hours. Dimension 15,5x6x3,2cm, weight 0,16kg. For operating temperature -10° to +40°. Rechargeable battery Li-Ion 3.7V 1600 mAh, and USB to mini charge cable. NO CHARGER included. Charging voltage 5VDC 1A (3W). NO CHARGER included. Charging voltage 5VDC 1A (3W).

Article No.	Description
90SCAN035408	Scangrip UV-FORM rechargeable UV inspection worklight



